



LIGHTING CATALOG

2022

Index







ALASKA ALASKA

08-09

10-11

ALASKA

12-13







BARCELONA CHICAGO CHICAGO

18-19 20-21

22-23







FLORIDA FLORIDA LONDON

14-15

16-17

26-27

06-07








NORUEGA TOKIO TOKIO

24-25 04-05

03







5373-860RP-BK-3



5373-860RP-WH-3

TOKIO

5373-860RP-WH-3

sandy white - white base

5373-860RP-BK-3


sandy black - white base

5373-860RP-BG-3

brush gold - white base

5373-860RP-BRG-3

brush rose gold - white base





Circular ring pendant LED light, with an aluminum frame finished in sandy white, sandy black, brush gold or brush rose gold with matte white steel base; the suspended circular profile emits a soft luminance downward from the perimeter silicone diffuser and at the same time within the aluminum extrusion is a secondary set of dimmable LED lights sending the ambient lighting towards the ceiling. Using a c-shaped outline, the Tokyo series creates a unique effect.

Category: Ceiling indoor-lighting / Pendant **Lumens:** 2400lm light down and 2200 light up

Measurement: Diameter 24"/ body height 2"/ Wire-Cord length: 118"

Color temp: 3000k

CRI: 90

Light source: Integrated LED, down light 30 Watts/ up light: 30 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body, diffuser with silicone

Driver: Concealed within the canopy





A circular flush mount LED light, with an aluminum frame finished in matte black or brush golg, emits soft downward lighting from the continuous perimeter opal silicone diffuser. Inside the aluminum extrusion is a set of dimmable LED lights that radiate warm ambient lighting. Using a c-shaped outline, the Tokyo series creates a unique effect.

Category: Ceiling indoor-lighting / Flush mount

Style: Contemporary/modern

Lumens: 2800lm

Measurement: Diameter 24" / height 2"

Color temp: 3000k

CRI: 90

Light source: Integrated LED, 40 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body, metal and diffuser with silicone

Driver: Concealed within the fixture







5373-840RC-BG-3



5373-840RC-BK-3


TOKIO

5373-840RC-BG-3

brush gold

5373-840RC-BK-3

matte black





Circular ring flush ceiling light, finished in matte white, matte black or brush gold aluminum with an acrylic inner ring diffused light source. Featuring integrated dimmable LEDs.

Category: Ceiling indoor-lighting / Flush mount

Style: Contemporary/modern Lumens: Up to 2400-3000-4800lm

Measurement: Diameter 15"-19"-30" / height 2,36"

Color temp: 3000k

CRI: 90

Light source: Integrated LED, 30-38-60 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body with acrylic diffuser

Driver: Concealed within the fixture





5367-830RC-BG-3 5367-838RC-BG-3



5367-830RC-WH-3 5367-838RC-WH-3 5367-860RC-WH-3



5367-830RC-BK-3 5367-838RC-BK-3

ALASKA

5367-830RC-WH-3

matte white

5367-830RC-BK-3

matte black

5367-830RC-BG-3

brush gold



5367-838RC-WH-3


matte white

5367-838RC-BK-3

matte black


5367-838RC-BG-3

brush gold



5367-860RC-WH-3

matte white












5367-848ROP-BG-3

brush gold


5367-848ROP-BBC-3

brush brown coffee









Circular ring pendant LED light, finished in brush gold or brush brown coffee aluminum with an acrylic inner ring diffused light source. Featuring integrated dimmable LEDs. Alaska 9 luminaire with a central void forms an illuminated ring. Designed with a minimalist style of simple lines.

Category: Ceiling indoor-lighting / Pendant

Style: Contemporary/modern

Lumens: 3800lm

Measurement: Diameter 23" / height 2,36"/ Wire-Cord length: 118"

Canopy diameter 9"
Color temp: 3000k

CRI: 90

Light source: Integrated LED, 48 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body with acrylic diffuser

Driver: Concealed within the canopy



Circular ring pendant LED light, finished in matte black aluminum with an acrylic inner ring diffused light source. Featuring integrated dimmable LEDs. Alaska 9 luminaire with a central void forms an illuminated ring. Designed with a minimalist style of simple lines. Category: Ceiling indoor-lighting / Pendant

Style: Contemporary/modern Lumens: 3800-4800lm

Measurement: Diameter 23"-31" / height 2,36"/ Wire-Cord length: 118"

Canopy (tube) diameter 5"

Color temp: 3000k

CRI: 90

Light source: Integrated LED, 48-60 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body with acrylic diffuser

Driver: Concealed within the canopy






5367-848RPP-BK-3

5367-860RPP-BK-3

ALASKA

5367-848RPP-BK-3 matte black 2,36° I











5355-848RC-WH-3



5355-848RC-SIL-3


FLORIDA

5355-848RC-WH-3

matte white

5355-848RC-SIL-3

brush aluminum









Flush mount ceiling LED light, finished in brush aluminum or matte white aluminum with a diffuse light source from the acrylic inner ring. New design that combines geometric shapes and achieves a rounded triangle with a minimalist style and soft lines. Featuring integrated dimmable LEDs.

Category: Ceiling indoor-lighting / Flush mount

Style: Contemporary/modern **Lumens:** Up to 3800lm

Measurement: Diameter 26" / height 2,36"

Color temp: 3000k

CRI: 90

Light source: Integrated LED, 48 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body with acrylic diffuser

Driver: Concealed within the fixture



Pendant ceiling led light, finished in brush aluminum or matte white aluminum with a diffuse light source from the acrylic inner ring. New design that combines geometric shapes and achieves a rounded triangle with a minimalist style and soft lines. Featuring integrated dimmable LEDs. Category: Ceiling indoor-lighting / Pendant

Style: Contemporary/modern Lumens: 3800-4800lm

Measurement: Diameter 25"-33" / height 2,36" / Wire-Cord length: 118"

Canopy (tube) diameter 5"

Color temp: 3000k


CRI: 90

Light source: Integrated LED, 48-60 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body with acrylic diffuser

Driver: Concealed within the canopy



5355-848RPP-SLV-3



FLORIDA


5355-848RPP-WH-3 5355-860RPP-WH-3

5355-848RPP-SLV-3

brush aluminum


5355-848RPP-WH-3

matte white



5355-860RPP-WH-3

matte white







5601-840RC-WH-WD-3 5601-860RC-WH-WD-3



5601-840RC-BK-WD-3 5601-860RC-BK-WD-3


BARCELONA

5601-840RC-WH-WD-3

matte white and inner wood

5601-840RC-BK-WD-3

matte black and inner wood




5601-860RC-WH-WD-3

matte white and inner wood

5601-860RC-BK-WD-3

matte black and inner wood









Flush mount LED light, made of steel with two layers. The outer rim, constructed from steel with a matt white or black finish, is shaped like a geometric ring, the interior ring is painted similar to wood, with an acrylic diffuser, the wooden interior highlights the integrated dimmable LEDs to provide a perfect soft ambient light.

Category: Ceiling indoor-lighting / Flush mount

Style: Contemporary/modern Lumens: Up to 3200-4800lm

Measurement: Diameter 18"-24" / height 4,3"

Color temp: 3000k

CRI: 90

Light source: Integrated LED, 40-60 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Steel body with acrylic diffuser

Driver: Concealed within the fixture






5304-840RC-ALU-3

CHICAGO

5304-840RC-ALU-3

brush aluminum









Ring flush circular ceiling lamp, brushed aluminum finish, aluminum body with diffused light source, acrylic inner ring. With integrated dimmable LEDs.

Category: Ceiling indoor-lighting / Flush mount

Style: Contemporary/modern

Lumens: 3200lm

Measurement: Diameter 19" / height 3,55"

Color temp: 3000k


CRI: 90

Light source: Integrated LED, 40 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body with acrylic diffuser

Driver: Concealed within the fixture



Square LED pendant lamp, finished in brush aluminum or matt black, aluminum body with diffuse light source, has an interior acrylic diffuser, with integrated dimmable LEDs. Category: Ceiling indoor-lighting / Pendant

Style: Contemporary/modern

Lumens: 4000lm

Measurement: Diameter 24" / height 3,55"/ Wire-Cord length: 118"

Color temp: 3000k

CRI: 90

Light source: Integrated LED, 50 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body with acrylic diffuser

Driver: Concealed within the fixture





CHICAGO


5304-850SQP-ALU-3

5304-850SQP-BK-3

matte black

5304-850SQP-ALU-3

hrush aluminum







5357-840RP-BK-CP-3


5357-850RP-BK-CP-3

5357-840RP-BBG-3

brush brown gold

5357-840RP-BK-CP-3

matte black and brown and patinated copper




5357-850RP-BBG-3

brush brown gold

5357-850RP-BK-CP-3

matte black and brown and patinated copper





Pendant led light, made of steel, it is a beautiful and sophisticated dome lampshade, finished in a unique polished brush brown gold or in a matte black on the outside with brown and patinated copper interior, the Norway LED pendant light has a distinctive look that will add a modern touch to any room you place it in. Its dimmable LED light is illuminated through a warm opal acrylic diffuser that elegantly matches.

Category: Ceiling indoor-lighting / Pendant

Style: Contemporary/modern

Lumens: 3200-4000lm

Measurement: Diameter 17"-20" / height 4,3"-5" / Wire-Cord length: 118"

Canopy (tube) diameter 5"

Color temp: 3000k

CRI: 90

Light source: Integrated LED, 40-50 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body with acrylic diffuser

Driver: Concealed within the canopy





Flush mount LED light with a Nordic and minimalist design, the London luminaire is an inclined semi-sphere made of steel finished in matte white with the interior painted similar to wood, with an acrylic diffuser. The wooden interior highlights the integrated dimmable LEDs to provide a perfect warm and soft ambient light.

Category: Ceiling indoor-lighting / Flush mount

Style: Contemporary/modern

Lumens: 3300lm

Measurement: Diameter 20" / height 12"

Color temp: 3000k

CRI: 90

Light source: Integrated LED, 42 Watts

Input: 120 VAC, 50/60Hz TRIAC Dimming: 100-10% Rated Life: 50000 Hours

Construction: Aluminum body with acrylic diffuser

Driver: Concealed within the fixture






5610-840RC-WH/WD-3

LONDON

5610-840RC-WH/WD-3

matte white and inner wood











www.purelightingus.com info@purelightingus.com 7500 NW 25th Street, Suite 246 Miami, Fl 33122